



OIL REPORT

LAB NUMBER: S423201
 REPORT DATE: 7/1/2026
 CODE: 20/1,193

UNIT ID: 25 4RUNNER
 CLIENT ID: [REDACTED]
 PAYMENT: [REDACTED]

UNIT EQUIP. MAKE/MODEL: Toyota 2.4L I-4 Turbo (T24A-FTS) OIL TYPE & GRADE: Mobil 1 Hybrid 0W/20
 FUEL TYPE: Gasoline (Unleaded) OIL USE INTERVAL: 3,000 Miles
 ADDITIONAL INFO:

CLIENT [REDACTED] PHONE: [REDACTED]
 [REDACTED] FAX:
 [REDACTED] ALT PHONE:
 [REDACTED] EMAIL: [REDACTED]

COMMENTS [REDACTED]

ELEMENTS IN PARTS PER MILLION	MI/HR on Oil	3,000	UNIT / LOCATION AVERAGES	2,258	2,198	5,629	UNIVERSAL AVERAGES
	MI/HR on Unit	13,086		10,086	7,827	5,629	
	Sample Date	6/14/2026		2/15/2026	12/22/2025	10/16/2025	
	Make Up Oil Added	0 qts		0 qts	0 qts		
ALUMINIUM	4	6	4	5	10	4	
CHROMIUM	0	0	0	0	0	0	
IRON	4	9	4	7	23	8	
COPPER	2	10	2	6	31	4	
LEAD	0	0	0	0	0	0	
TIN	0	0	0	0	1	0	
MOLYBDENUM	95	264	105	165	691	122	
NICKEL	0	0	0	0	0	0	
MANGANESE	0	1	1	1	2	1	
SILVER	0	0	0	0	0	0	
TITANIUM	0	0	0	0	0	0	
POTASSIUM	2	1	0	1	2	3	
BORON	42	42	54	48	25	57	
SILICON	18	73	24	49	200	26	
SODIUM	3	4	3	3	7	4	
CALCIUM	599	739	622	692	1041	1024	
MAGNESIUM	685	603	709	599	420	516	
PHOSPHORUS	659	659	678	581	716	594	
ZINC	730	733	749	677	775	700	
BARIUM	0	0	0	0	1	0	

Values Should Be*

PROPERTIES	SUS Viscosity @ 210°F	51.6	46-57	50.9	49.0	46.9
	cSt Viscosity @ 100°C	7.75	6.0-9.7	7.53	6.95	6.33
	Flashpoint in °F	420	>385	410	395	375
	Fuel %	<0.5	<2.0	<0.5	<0.5	0.5
	Antifreeze %	0.0	0.0	0.0	0.0	0.0
	Water %	0.0	0.0	0.0	0.0	0.0
	Insolubles %	0.2	<0.6	0.2	0.1	0.1
	TBN					
	TAN					
ISO Code						

* THIS COLUMN APPLIES ONLY TO THE CURRENT SAMPLE

416 E. PETTIT AVE. FORT WAYNE, IN 46806 (260) 744-2380 www.blackstone-labs.com